

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An organic EL device comprising:  
a laminated film comprising:  
a hole injection/transportation layer, ~~and~~ having a concave surface;  
a light emitting layer disposed above the hole injection/transportation  
layer and having a concave surface; and  
a bank ~~having an opening which defines a wall of the bank, the wall of~~  
~~the bank~~ abutting on the edges of the hole injection/transportation layer and the light emitting  
layer to define film formation regions of the hole injection/transportation layer and the light  
emitting layer, the film formation region of the light emitting layer covering the film  
formation region of the hole injection/transportation layer.
2. (Withdrawn) A method of manufacturing an organic EL device having a  
laminated film of at least two layers is formed by providing a composition for forming said  
layers from an ink jet head, comprising the step of:  
providing a hole injection/transportation layer and a light emitting layer, such  
that a relationship of  $A \leq B$  is satisfied, A being a discharge amount of a composition that  
forms said hole injection/transportation layer, and B being a discharge amount of a  
composition that forms said light emitting layer.
3. (Withdrawn) An organic EL device manufactured according to the method of  
claim 2.
4. (Withdrawn) A method of manufacturing an organic EL device having a  
structure in which a laminated film of at least two layers is formed by providing a  
composition for forming said layers from an ink jet head, comprising the step of:

providing a hole injection/transportation layer and a light emitting layer, such that a relationship of  $A \leq B$  is satisfied, A being a sum of discharge amounts of a composition that forms said hole injection/transportation layer, and B being a sum of discharge amounts of a composition that forms said light emitting layer.

5. (Withdrawn) An organic EL device manufactured according to the method of claim 4.

6. (Previously Amended) The organic EL device according to claim 1 wherein the hole injection/transportation layer and the light emitting layer are disposed between a cathode and an anode, and wherein light emitted by the light emitting layer is output through the cathode.

7. (Canceled).

8. (Canceled).

9. (Previously Amended) The organic EL device according to claim 1 wherein the wall of the bank has rounded corners and defines the film formation regions with rounded corners.

10. (Currently Amended) An organic EL device comprising:  
a bank having ~~an opening which defines a wall of the bank, the wall of the bank~~ defining a first and a second film formation regions, the second film formation region covering the first film formation region;

a hole injection/transportation layer ~~spread~~ having a concave surface and spread within the first film formation region; and

a light emitting layer ~~spread~~ having a concave surface and spread above the hole injection/transportation layer and within the second film formation region.

11. (Previously Added) The organic EL device according to claim 10, wherein the shapes of the first and second film formation regions are quadrilateral.

12. (Previously Added) The organic EL device according to claim 10, wherein the shapes of the first and second film formation regions have rounded corners.

13. (New) The organic EL device according to claim 1, wherein the wall of the bank has a slope to define the film formation region of the light emitting layer being larger, in area, than the film formation region of the hole injection/transportation layer.

14. (New) The organic EL device according to claim 10, wherein the wall of the bank has a slope to define the film formation region of the light emitting layer being larger, in area, than the film formation region of the hole injection/transportation layer.